

# SCHUKO PLUGS AND CONNECTORS PVC

2-pole + ⊕, 16 A 250 V, acc. to DIN 49440/441 and IEC 60884



## PLUG

PVC  
with Twin Earthing System  
(German and French/  
Belgian standards)

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------	-------------	---------------	------------

grey	<b>1418060</b>	40	20
white	<b>1418080</b>	40	20
yellow	<b>1418050</b>	40	20
black	<b>1418000</b>	40	20



## CONNECTOR

PVC  
also available with shutter

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------	-------------	---------------	------------

grey	<b>1679060</b>	83	10
white	<b>1679080</b>	83	10
yellow	<b>1679050</b>	83	10
black	<b>1679000</b>	83	10



## PLUG

PVC  
with Twin Earthing System  
(German and French/  
Belgian standards)  
splash-proof IP44

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------	-------------	---------------	------------

grey	<b>1428160</b>	56	20
white	<b>1428180</b>	56	20
yellow	<b>1428150</b>	56	20



## CONNECTOR

PVC

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------	-------------	---------------	------------

grey	<b>1478060</b>	92	10
white	<b>1478080</b>	92	10
yellow	<b>1478050</b>	92	10

# SCHUKO PLUGS AND CONNECTORS THERMOPLASTIC

2-pole + ⊕, 16 A 250 V, acc. to DIN 49440/441 and IEC 60884



## PLUG

Thermoplastic

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------	-------------	---------------	------------

black	<b>1116100</b>	27	50
white	<b>1116110</b>	27	50



## ANGLE PLUG

Thermoplastic with Twin Earthing System (German and French / Belgian standards)

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------	-------------	---------------	------------

black	<b>1400390</b>	35	20
white	<b>1400380</b>	35	20



## ANGLE PLUG

Thermoplastic

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------	-------------	---------------	------------

black	<b>1107100</b>	34	50
white	<b>1107110</b>	34	50



## CONNECTOR

Thermoplastic

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------	-------------	---------------	------------

black	<b>1176100</b>	31	20
white	<b>1176110</b>	31	20



## ADAPTER

Thermoplastic fibre glass reinforced contact support. Plug side with Twin Earthing System (German and French / Belgian standards)

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------	-------------	---------------	------------

black	<b>1115000</b>	76	100
white	<b>1115010</b>	76	100



## PLUG WITH AUX. CONTACT

Thermoplastic fibre glass reinforced contact support. Plug side with Twin Earthing System (German and French / Belgian standards) Socket with French / Belgian Earthing System

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------	-------------	---------------	------------

black	<b>1115007</b>	74	10
white	<b>1115017</b>	74	10

# SCHUKO SOCKET OUTLETS

2-pole + ⊕, 16 A 250 V, acc. to DIN 49440 and IEC 60884



## SURFACE-MOUNTED SOCKET OUTLET

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
white	1491010	79	10

white	1491010	79	10
-------	---------	----	----



## SURFACE-MOUNTED DOUBLE SOCKET OUTLET

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
white	1492010	128	10

white	1492010	128	10
-------	---------	-----	----



## SURFACE-MOUNTED TRIPLE SOCKET OUTLET

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
white	1493010	197	5

white	1493010	197	5
-------	---------	-----	---



## BASE PLATE

flame-retardant for 1491010

flame-retardant for 1492010

flame-retardant for 1493010

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
white	1491008	8	50
white	1492008	13	50
white	1493008	18	50

white	1491008	8	50
white	1492008	13	50
white	1493008	18	50



## SURFACE-MOUNTED QUADRUPLE SOCKET OUTLET

without base plate

base plate see art. no. 0004060

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
white	1694010	214	5

white	1694010	214	5
-------	---------	-----	---



## BOTTOM PLATE

for 1804 and 1694

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
white	0004060	32	10

white	0004060	32	10
-------	---------	----	----