




ERISTÄMÄTTÖMÄT KAAPELILIITTIMET

Päätelohkit, tinattu kupari, DIN 46228



TS -koodi	Tyyppi	Johdolle/mm ²	Pituus/mm	Pakkaus/kpl
J2A61	0,75 – 6	0,75	6,0	1000
J2A62	1 – 10	1,0	10,0	1000
J2A63	1,5 – 10	1,5	10,0	1000
J2A64	2,5 – 12	2,5	12,0	1000
J2A65	4 – 12	4	12,0	1000
J2A66	6 – 15	6	15,0	1000
J2A67	10 – 15	10	15,0	500
J2A68	16 – 15	16	15,0	250

**Rinnakkaisjatkot, Tinattu kupari,
UL hyväksyntä E125401 tyypeille L 03-P ... L 14-P**


TS -koodi	Tyyppi	Johdolle/mm ²	Sisä halkaisija/mm	Pituus/mm	Pakkaus/kpl
J2C0010	L 03-P	0,25 ... 1,5	1,8	6,0	100
J2C0025	L 60-P	1,5 ... 2,5	2,4	6,0	100
J2C0060	L 1-P	4 ... 6	3,6	9,0	100
J2C0100	L 2-P	10	4,6	10,5	100
J2C0160	L 3-P	16	5,8	11,5	100
J2C0250	L 5-P	25	7,0	13,0	100
J2C0350	L 7-P	25 ... 35	8,9	14,0	100
J2C0500	L 10-P	35 ... 50	10,0	16,0	100
J2C0700	L 14-P	50 ... 70	11,3	18,0	100
J2C0950	RJ 95	70 ... 95	13,5	19,0	50
J2C1200	RJ 120	95 ... 120	15,2	22,0	50
J2C1500	RJ 150	120 ... 150	16,7	26,5	50
J2C1850	RJ 185	150 ... 185	19,2	26,5	50
J2C2400	RJ 240	185 ... 240	21,1	34,0	15
J2C3000	RJ 300	240 ... 300	26,0	35,0	15


Jatkoholkit, Tinattu kupari, SFS 6263

TS -koodi	Tyyppi	Johdolle/mm ²	Sisähalkaisija/mm	Pituus/mm	Pakkaus/kpl
J2D0007	B0,75SK	0,75	1,0	14	100
J2D0015	B1,50SK	1,00	1,5	14	100
J2D0025	B2,50SK	2,50	2,2	16	100
J2D0060	B4/6SK	4,0-6,0	3,5	19	100
J2D0100	B10,0SK	10	5,0	21	100
J2D0160	B16,0SK	16	6,0	29	100
J2D0250	B25,0SK	25	8,0	35	100
J2D0350	B35,0SK	35	9,5	35	100
J2D0500	B50,0SK	50	11,0	40	50
J2D0700	B70,0SK	70	12,0	40	50
J2D0950	B95,0SK	95	15,0	55	50
J2D1200	B120,0SK	120	17,0	55	50
J2D1500	B150,0SK	150	19,0	55	25
J2D1850	B185,0SK	185	21,0	70	25
J2D2400	B240,0SK	240	24,0	70	25
J2D3000	B300,0SK	300	26,0	75	10
J2D4000	B400,0SK	400	28,0	75	10


Putkikaapelikengät, Tinattu kupari, SFS 6263

TS -koodi	Tyyppi	Johdin mm ² /reikä	Pituus L ₁	Pakkaus/kpl I
J2E000703	0,75-3	0,75 / M3	13	100
J2E000704	0,75-4	0,75 / M4	13,5	100
J2E001504	1,5-4	1,5 / M4	13,5	100
J2E002504	2,5-4	2,5 / M4	13,5	100
J2E002505	2,5-5	2,5 / M5	13,5	100
J2E002506	2,5-6	2,5 / M6	13,5	100
J2E006004	4/6-4	4,0 – 6,0 / M4	17,5	100
J2E006005	4/6-5	4,0 – 6,0 / M5	17,5	100
J2E006006	4/6-6	4,0 – 6,0 / M6	17,5	100
J2E006008	4/6-8	4,0 – 6,0 / M8	23,0	100
J2E010006	10-6	10,0 / M6	22,0	100
J2E010008	10-8	10,0 / M8	22,0	100

Putkikaapelikengät, Tinattu kupari, SFS 6263

TS -koodi	Tyyppi	Johdin mm ² /reikä	Pituus L ₁	Pakkaus/kp I
J2E010010	10-10	10,0 / M10	27,0	100
J2E016006	16-6	16,0 / M6	26,0	100
J2E016008	16-8	16,0 / M8	26,0	100
J2E016010	16-10	16,0 / M10	29,0	100
J2E016012	16-12	16,0 / M12	31,5	100
J2E025006	25-6	25,0 / M6	30,0	100
J2E025008	25-8	25,0 / M8	30,0	100
J2E025010	25-10	25,0 / M10	33,0	100
J2E025012	25-12	25,0 / M12	34,0	100
J2E025014	25-14	25,0 / M14	34,0	100
J2E025017	25-17	25,0 / M17	39,5	100
J2E035008	35-8	35,0 / M8	35,0	100
J2E035010	35-10	35,0 / M10	35,0	100
J2E035012	35-12	35,0 / M12	36,5	100
J2E035014	35-14	35,0 / M14	36,5	100
J2E050008	50-8	50,0 / M8	40,0	100
J2E050010	50-10	50,0 / M10	40,0	100
J2E050012	50-12	50,0 / M12	43,0	100
J2E050014	50-14	50,0 / M14	43,0	100
J2E070008	70-8	70,0 / M8	49,0	50
J2E070010	70-10	70,0 / M10	47,0	50
J2E070012	70-12	70,0 / M12	46,5	50
J2E070014	70-14	70,0 / M14	46,5	50
J2E070017	70-17	70,0 / M17	50,5	50
J2E095010	95-10	95,0 / M10	55,0	50
J2E095012	95-12	95,0 / M12	55,0	50
J2E095014	95-14	95,0 / M14	55,0	50
J2E095017	95-17	95,0 / M17	55,0	50
J2E120010	120-10	120 / M10	58,0	25
J2E120012	120-12	120 / M12	58,0	25
J2E120014	120-14	120 / M14	58,0	25
J2E120017	120-17	120 / M17	58,0	25
J2E150012	150-12	120 / M12	65,0	25
J2E150017	150-17	150 / M17	65,0	25
J2E150020	150-20	150 / M20	65,0	25
J2E185012	185-12	185 / M12	71,0	20
J2E185014	185-14	185 / M14	71,0	20
J2E185020	185-20	185 / M20	71,0	20
J2E240014	240-14	240 / M14	81,0	10
J2E240020	240-20	240 / M20	81,0	10
J2E300017	300-17	300 / M17	91,0	10
J2E300020	300-20	300 / M20	91,0	10